

Dimple-On Connector

Thru-Tubing Technology | Product Code | WT - 1301

Features

- Robust and cost effective means of attaching a BHA to the coil
- Available in sizes 1-1/4 inches to 2-7/8 inches
- One-piece design
- Provides superior mechanical strength
- Available with standard through-tubing tool joints or specially cut to customer requirements
- Any combination of coil tubing and thread size

Benefits

- Two O-ring grooves provide added security in high-pressure applications
- Dimple design provides torque-through capabilities
- Reusable connectors furnished with standard O-rings simplifying field redress

The Dimple-On Connector is a one-piece design providing a robust, cost effective means of attaching a BHA to the coil.

The one-piece design incorporates two O-ring grooves providing added security in high-pressure applications. The Dimple-On Connector has superior mechanical strength comparable with tubing with the dimple design enabling torque-through capability.

Although the connectors are supplied with standard through-tubing tool joints, they can also be cut to suit customer requirements. The connector is reusable and furnished with standard O-rings making it extremely easy to redress in the field.

The Dimple-On Connector is available for any combination of coil tubing and thread size.



Dimple-On Connector / Product Code WT-1301

Coil Tubing OD in inches	1-1/4"	1-1/2"	1-3/4"	2"	2-3/8"	2-7/8"
Wall Thickness	TBA	TBA	TBA	TBA	TBA	TBA
OD in inches	TBA	TBA	TBA	TBA	TBA	TBA
End Connection	1" AMMT	1-1/4" AMMT	1-1/4" AMMT	2-3/8" PAC	2-3/8" PAC	2-3/8" PAC
ID in inches	0.500	0.688	0.750	1.000	1.000	1.375
Tensile Strength lbs	50,160	57,860	77,305	107,910	143,990	245,931
Length in feet	0.67	0.67	0.67	0.67	0.67	0.67
Working Pressure in Psi	10,000	10,000	10,000	10,000	10,000	10,000

Other sizes, end connections and materials available on request. Properties quoted for standard service materials. All ct sizes can be accommodated.